



Stage 2—Mandatory

Mandatory compliance—Water shortage advisory.

Triggering level. Amistad conservation level is twenty-five (25) percent or WTP capacity is eighty-five (85) percent for three (3) consecutive days.

Cumulative reduction goal. Ten (10) percent.

During Stage 2, the following restrictions shall apply to all persons. Notice of such order shall be given by the city manager and/or mayor through appropriate circular, television, radio and newspaper media at the mayor's discretion. All elements of Stage 1 shall remain in effect except that:

Irrigation utilizing hose-end sprinklers or automatic sprinkler systems for lawns, gardens, landscaped areas, trees, shrubs and other plants is prohibited except during designated hours which shall be before 8:00 a.m. and after 8:00 p.m. of the designated days. Customers with an address ending in an even number (0, 2, 4, 6, 8) are only allowed to water between designated hours on Mondays, Wednesdays, and Fridays. Customers with an address ending in an odd number (1, 3, 5, 7, 9) are only allowed to water between designated hours on Tuesdays, Thursdays, and Saturdays. In order to allow all water storage tanks to refill, watering on Sundays is strictly prohibited.

Irrigation of lawns, gardens, landscaped areas, trees, shrubs or other plants is permitted at any time if:

A continuously attended hand-held hose is used; or a drip irrigation system is used. (Soaker hoses are not drip irrigation systems.)

Exception: Commercial nurseries commercial sod farmers and similarly situated establishments are exempt from Stage 2 irrigation restrictions, but will be requested to curtail all nonessential water use.

The washing of automobiles, trucks, trailers, boats, airplanes and other types of mobile equipment is prohibited except on designated hours before 8:00 a.m. and after 8:00 p.m. of the designated days. Customers with an address ending in an even number (0, 2, 4, 6, and 8) are only allowed to wash mobile equipment between designated hours on Mondays, Wednesdays, and Fridays. Customers with an address ending in an odd number (1, 3, 5, 7, and 9) are only allowed to wash mobile equipment between designated hours on Tuesdays, Thursdays, and Saturdays. Such washing, when allowed, shall be done with a hand-held bucket or a hand-held

hose equipped with a positive shutoff nozzle for quick rinses. In order to allow all water storage tanks to refill, washing mobile equipment on Sundays is strictly prohibited.

Exception: Washing may be done at any time on the immediate premises of a commercial carwash or commercial service station. Further, such washing may be exempted from this division if the health, safety and welfare of the public are contingent upon frequent vehicle cleaning, such as garbage trucks and vehicles used to transport food and perishables.

The refilling or adding of water to residential swimming and/or wading pools is prohibited except on designated hours before 8:00 a.m. and after 8:00 p.m. of the designated days. Customers with an address ending in an even number (0, 2, 4, 6, and 8) are only allowed to use water for this purpose between designated hours on Mondays, Wednesdays, and Fridays. Customers with an address ending in an odd number (1, 3, 5, 7, 9) are only allowed to water for this purpose between designated hours on Tuesdays, Thursdays and Saturdays. In order to allow all water storage tanks to refill, the refilling or adding of water to residential swimming and/or wading pools on Sundays is strictly prohibited.

The operation of any ornamental fountain or other structure making similar use of water is prohibited except for those fountains or structures with a recycling system.

The use of water for irrigation for parks, plazas, and squares is prohibited except on designated hours before 8:00 a.m. and after 8:00 p.m. of the designated days. The irrigation of golf course fairway is absolutely prohibited. Utilizing wastewater effluent or well water is exempted from the provisions of this division.

Essential and utility use.

Essential use.

Firefighting. No restrictions.

Medical use by health care facilities. No restrictions.

Water utility use.

Reduction of average system pressure to fifty (50) psi is recommended.

A leak detection and system repair is recommended.

Stabilizing and equalizing system pressure is recommended.

Sewer line flushing: reduction is recommended.

Fire hydrant flushing: reduction is recommended.

Power production use: reduction of water use for power production is recommended.

The following uses of water are defined as waste of water and are absolutely prohibited:

Allowing irrigation water to run off into a gutter, ditch, drain, sidewalk, or street;

Failure to repair a controllable leak; Washing sidewalks, streets, driveways, parking area, tennis courts, or other paved areas, except to alleviate immediate fire hazards.

Irrigation using hose-end sprinklers or automatic sprinkler systems for athletic fields is prohibited except during designated hours which shall be before 8:00 a.m. and after 8:00 p.m. of the designated days. Customers with an address ending in an even number (0, 2, 4, 6, and 8) are only allowed to water between designated hours on Mondays, Wednesdays and Fridays. Customers with an address ending in an odd number (1, 3, 5, 7, and 9) are only allowed to water between designated hours on Tuesdays, Thursdays and Saturdays. Irrigation using hand-held hoses or drip irrigation systems is exempt. In order to allow all water storage tanks to refill, irrigating an athletic field using hose-end sprinklers or automatic sprinkler systems on Sundays is strictly prohibited.